


This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS					
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED
1		RELEASED FOR PRODUCTION.	7/19/2016	DPD	JAG



NOTE:
REF. AIRBUS T/N: RBEM632V3023102.





TITLE
SERVO CONTROL AXLE EXCHANGE

ASSY QTY	ASSY QTY	B/O	Part #	UNIT QTY	Description	Material	B/O INFORMATION OR SPECIFICATIONS	PG.	DWG NO. RBEM632V3023102				REV 1
				1	LOWER SERVO CONTROL AXLE EXCHANGE		RBEM632V3023122	1	MAT'L		UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES .XXX ± .005 FRACTIONS ± 1/8 .XX ± .01 ANGLES ± 5° .X ± .1 SURFACES = 125° 1. BREAK ALL SHARP EDGES .015 x 45° OR .015R 2. DIMENSIONAL LIMITS APPLY AFTER PLATING 3. INTERPRET DIM AND TOL PER ASME Y14.5M-2009 USED ON MODEL H175		
				1	UPPER SERVO CONTROL AXLE EXCHANGE		RBEM632V3023125	1	HEAT TREAT FINISH				
				1	THIMBLE		RBEM632V3023228	1	SPEC				
									DRAWN BY: DUERFELDT				
		B/O	-1	1	PLACARD	PLASTIC		2	CHECKED: MACKOVJAK				
		B/O	-3	1	BOTTOM FOAM	Y20 BLACK	3.00 X 5.96 X 8.46 (I.R. SPECIALTY)	3	OPPS APPR: ANDERSON				
		B/O	-5	1	TOP FOAM	Y20 BLACK	.75 X 5.75 X 8.25 (I.R. SPECIALTY)	4	QA APPR: LINDSAY				
		B/O	-7	1	CASE	PLASTIC	PELICAN CASE #APP-1150-E	N/S	APPROVED: GILBERT				
		B/O		1	DART PLACARD	ALUMINUM	RB41011	N/S	SCALE 1:4	DATE 3/24/2016	SHEET 1 OF 4		

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS			
REV	ECR	DESCRIPTION	DATE INITIAL APPROVED



NOTE:
USE PDF.



TITLE
SERVO CONTROL AXLE EXCHANGE

DWG NO. RBEM632V3023102-1

REV
1

MAT'L PLASTIC

HEAT

TREAT

FINISH

SPEC

DRAWN BY: DUERFELDT

CHECKED: MACKOVJAK

OPPS APPR: ANDERSON

QA APPR: LINDSAY

APPROVED: GILBERT

SCALE 1:2

UNLESS OTHERWISE SPECIFIED

DIMENSIONS ARE IN INCHES

.XXX ± .010 FRACTIONS ± 1/8

.XX ± .03 ANGLES ± 1°

.X ± .1 SURFACES = 125°

1. BREAK ALL SHARP EDGES

.015 x 45° OR .015R

2. DIMENSIONAL LIMITS APPLY

AFTER PLATING

3. INTERPRET DIM AND TOL PER

ASME Y14.5M-2009

USED ON MODEL

H175

DATE 3/15/2016


SHEET 2 OF 4

(-1)

PLACARD

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	






(-3)

BOTTOM FOAM

DART AEROSPACE	
TITLE SERVO CONTROL AXLE EXCHANGE	
DWG NO. RBEM632V3023102-3	REV 1
MAT'L Y20 BLACK	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES	
.XXX ± .010 FRACTIONS ± 1/8	
.XX ± .03 ANGLES ± 1°	
.X ± .1 SURFACES = 125/✓	
SPEC	
DRAWN BY:	DUERFELDT
CHECKED:	MACKOVJAK
OPPS APPR:	ANDERSON
QA APPR:	LINDSAY
APPROVED:	GILBERT
USED ON MODEL H175	
SCALE 1:2	DATE 3/25/2016
SHEET 3 OF 4	

This drawing, specifications, and concepts contained here in are the sole property of Dart Aerospace, and may not be reproduced or used in any fashion without the prior written permission of Dart Aerospace Eugene, OR.

REVISIONS						
REV	ECR	DESCRIPTION	DATE	INITIAL	APPROVED	



(-5)
TOP FOAM

DART AEROSPACE	
TITLE SERVO CONTROL AXLE EXCHANGE	
DWG NO. RBEM632V3023102-5	REV 1
MAT'L Y20 BLACK	UNLESS OTHERWISE SPECIFIED
TREAT	DIMENSIONS ARE IN INCHES
FINISH	.XXX ± .010 FRACTIONS ± 1/8
SPEC	.XX ± .03 ANGLES ± 1°
	.X ± .1 SURFACES = 125/✓
DRAWN BY: DUERFELDT	1. BREAK ALL SHARP EDGES
CHECKED: MACKOVJAK	.015 x 45° OR .015R
OPPS APPR: ANDERSON	2. DIMENSIONAL LIMITS APPLY
QA APPR: LINDSAY	AFTER PLATING
APPROVED: GILBERT	3. INTERPRET DIM AND TOL PER
	ASME Y14.5M-2009
	USED ON MODEL
	H175
SCALE 1:2	DATE 3/25/2016
	SHEET 4 OF 4